



ABOUT US

- Establishment year : 2020
- Country of Origin: United Arab Emirates
- Address: **Dubai**-Jebel Ali Free Zone
- Facility area: 48,000 SQ FT
- Production plant: Equipped with state-of-the-art Italian technology
- Production lines capacity: 1500 kg / Hour
- Quality: Compliance with International Food Quality Standards
- Certifications: ISO22000 HACCP HALAL

DISCOVER OUR PREMIUM PRODUCTS











POTATO

CORN

WHEAT

























Commitment



Consistency




Customer Satisfaction







"Our certificates reflect our dedication to excellence providing you with the assurance of a trusted and reliable partner"







RING



Frying temperature: 190 ± 5 °C

• Frying time: 10 ± 2 Seconds

c Bulk density : 70 ± 5 g/L

• Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30 ± 5 °C

Shelf Life: Two Years (24 Months)









• Frying time: 10 ± 2 Seconds

• Bulk density: 60 ± 5 g/L

• Oil absorption: 25 ± 3 %

• Storing Temperature: Dry Storage 30± 5 C

• Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Starch and Salt



TWIST











PICO BELLO



• Frying temperature: 190 ± 5 degrees


• Frying time: 10 ± 2 Seconds

• Bulk density: 60 ± 5 g/L

○ Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)







SHELL



• Frying temperature: 190 ± 5 degrees

• Frying time: 10 ± 2 Seconds

• Bulk density: 60 ± 5 g/L

• Oil absorption: 25 ± 3 %

• Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)









- Frying temperature: 190 ± 5 degrees
- Frying time: 10 ± 2 Seconds
- Bulk density: 60 ± 5 g/L
- Oil absorption: 25 ± 3 %
- Storing Temperature: Dry Storage 30± 5 C
- Shelf Life: Two Years (24 Months)











• Frying time: 10 ± 2 Seconds

€ Bulk density: 45 ± 5 g/L

○ Oil absorption: 25 ± 3 %

• Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)







SLICE PLAIN



• Frying temperature: 190 ± 5 degrees

• Frying time: 10 ± 2 Seconds

• Bulk density: 45 ± 5 g/L

• Oil absorption: 25 ± 3 %

• Storing Temperature: Dry Storage 30± 5 C

• Shelf Life: Two Years (24 Months)







SLICE WAVY



• Frying temperature: 190 ± 5 degrees

• Frying time: 10 ± 2 Seconds

• Bulk density: 45 ± 5 g/L

○ Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)















• Frying time: 15 ± 2 Seconds

• Bulk density: 55 ± 5 g/L

• Oil absorption: 25 ± 3 %

• Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Wheat Flour & Salt



BEAR







• Frying time: 15 ± 2 Seconds

• Bulk density : 50 ± 5 g/L

• Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

• Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Wheat Flour & Salt









• Frying time: 15 ± 2 Seconds

• Bulk density: 50 ± 5 g/L

• Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

• Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Wheat Flour & Salt







• Frying time: 15 ± 2 Seconds


€ Bulk density : 50 ± 5 g/L

• Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

• Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Wheat Flour & Salt







• Frying time: 15 ± 2 Seconds


Bulk density: 45 ± 5 g/L

• Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Wheat Flour, Rye Flour & Salt







• Frying time: 15 ± 2 Seconds

€ Bulk density : 40 ± 5 g/L

○ Oil absorption: 25 ± 3 %

Storing Temperature: Dry Storage 30± 5 C

Shelf Life: Two Years (24 Months)

Ingredients: Potato Powders, Wheat Flour, Rye Flour & Salt







"We are committed to producing high-quality products with careful raw material selection and strict quality control at every stage of production"





JAE |

Address: JAFZE, Plot no. S60505, South 6 Road 1501, Gate 12, Jebel Ali Free Zone, Dubai - UAE